SUPPLEMENT TO

The Gazette



of **Endia**

). 29] NEW DELHI, SATURDAY, JULY 21, 1951

OFFICIAL PAPERS

perted attacks and deaths from cholers, small-pox, plague and typhus in districts in India during the week anding the 23rd June, 1951.

		Снов	H [*] B.▲	SMACE	B OK	PLA	g ub			Сн	OLERA	Sma	LLPOX	PLA	EU o.
rgopen		O•	b	C.	D.	C.	D.			C.	ξī	С.	, D	C4	D.
	STATE	S PAI	ŘT (A)	& PAR	T (C)					1	Bhopal-	-contd.			
		A	mer					Total for w/e	9-6-51	•••	•••	•••	•94	•••	•••
		No in	cidence	•				7-yearly mean the week	for	1	1				
std. mid-year 680 thousand	pop.									-	B@ar	•••	•••	•••	•••
								Patna							
stal for w/e 1	6-6-51	40-0	***	3	2	• •	•••	Gaya .	•	31	5	25	12		
								Shahabad	•	•••	•••	18	1	••	100
tal for w/e	9-6-51	***	***	2	2	• •	***	Sагал	•	24	7	93	16	***	
								Champaran	•	***	***	72	20	***	Mari
yearly mean i	for			•	_			Muzaffarpur.	•	•••	• •	25	5	• •	• •
the week .	•	•••	•••	2	1	***	***	Darbhanga .	•	•••	•	21	2		-
		Ass	9m					Monghyr	•		•••	101	40	~	***
		***	- ALA					Bhagaipur .	•	15	2	15	4	•••	•••
ichar .		3	4	***	•••	•••	•••	Saharsa	•	•••	• •	57	10	••	•••
hasi & Jaintie								Purnea .	•	***	***	11	1	***	•••
Hille	•	***	•••	4	•••	***	***	Santal Pargana	•	28	10	15	3	• •	••
aga Hills	•	••	***	•••	2	•••	***	Bezaribash			10	381	46	••	••
osipara .	•	2	2	•••	1		***	kanchi	•	•00	•••	11	3		•••
amrup	•	•••	•••	•••	1	***	•••	Manbhum	•	6	•••	12	•••	•	
arrang	•	3	1	•••	2	***	•••	Palamau	•		4	107	15	•	***
ogo.pg	•	•••	240	***	•••	***	•••	Singhbhum	•	•••	••	16	6	••	
ibsagar .	•	•••	•••	•••	•••	•••	007	G	•	•••	••	••	••	• •	• •
akhimpur .		••	***	•••	•••	***	***	TOTAL		104	90	000			
Tracts.	ier							TOTAL	•	104	28	980	184	•••	**
laro Hills .	•	***	***	•	•••		***	(Estd. mid-yes	r pop.						
1030 11140 ,	•	***	•••	•••	•••	***	•••	38,839 thou	ands)						
To	OTAL •	8	7	4	6	•••	•••	Total for w/e 16		63	17	878	190	•••	***
Estd. mid-year								Total for w/e 9	-6-51	85	22	1,320	2 81	•••	
8,101 thousas	•							7-yearly mean f	er	913	462	248	59	1	
otal for w/e	16-6 -51	21	12	28	13	***	***						30	•	•••
-4-1 for -1- 0		7.0		-0						В	om bay				
otal for w/e	4-0-01	18	11	19	10	**	•••	Bombay		•••		12	7		
yearly mean	for							Ahmedabad .		•••	•••	•••	1		•
the week		60	32	8	3	***	***	Kaire .		•••	•••			**	
					-			Broach .		•••	•••	2	•••	***	
			Bhopai					Panch Mahale		***	•••	***	••	••	
								Surat .	•		***	8	•••		094
		No	incide	nce.				Thana .	•	•••	***	•••	••	***	794
Estd. mid-year								Bombay Suburb	A IA B	***	***	•••	•••	^**	•••
Il thousands)	hob.							Ahmednagar .	•	1	1	2	•••	***	***
•	· a							East Khandesh	•	•••	•••	14	1	***	•••
otal for w/e I	6-6-51	•••	•••	•••	•••	•••	••	West Khandesh	•	2	1	8	•••		•••
				Exp	lenetion	of Sym	bole ne	ad) D	46-					-40

Reported attacks and deaths from chelers, smallpox, plague and typhus in districts in India during the week ending the 23rd June 1951—contd.

	Oggi	LIEBA ÖBEA	LLOOK	PL	LGU≌		ОнО	Leba S	MALLPOX	PL	L Ģ U B
,	a.	p. c.	D.	o.	D.	_	σ,	D. C.	D.	a.	D.
	Bom]	bay—contd.					Madhya l	Pradesh—o	mtd.		
Amreli			2	***	•••	Bilaspus		26	4		
Meetk		49	7	•••	•	Durg		99	10	• •	
Poons Satera North		1 2 4	*** T	***	•••	Boster		38	10		**
Satara South		•	1 1	•••	***	Surguja			• •	-	-
Sholapur .		1 2		***	•••	Amananti		4 11	*** 1	••	••
Sabarkantha			104		•••	Yeotmal		3		**	
Belgaum			•••	•••	•••	Akola			•••		
Bijapur	81 23		***	•••	•••	Buldana		45	2	•	••
Dherwer Kanera	100 000		***	••	•••	Toral .	. 5	2 392	51		
Remegiri	140 44		2	***		(Estd. mid-year pop.		- 502	01	••	
Kolaba	140 444		-	•••	•••	21,368 thousands)					
Kolhapur	4	1	•	***	•••	Total for w/e 16-6-51	. 4	I 434	40		
Baroda	***		-	•••	•••	10001104 #/0 10-0-01	• 4	1 302	40		• •
Neveri	***	- ***	***	***	•••	Total for w/e 9-6-51	. 2	388	49		٠.
Dangs	***	• •••	•••	***	***						
Malwan Mehtena			***	**-	***	7-yearly mean for the week	k 167	96 183	29	••	••
шередла , ,		• •••	•••	***	***		_				
TOTAL .	98 31	1 118	22	***	***		Madr	A.g			
Estd. mid-year pop.						Visakhapatnam .		. 39	17	***	_
38,821 thousands)						- · · · · ·	2 27 12	5 119	27	••	_
	_						••		3	• •	••
Total for w/e 16-6-51 .	101 2	7 133	27	•	-++	Krishna		-	10		••
Total for w/e 9-6-51	85 23	3 146	23	***	***		23 36 1.	7 55 8 25	18 6	••	•
7-yearly mean for		• •••					30 1. 376 148		13	••	•
the week	117 5	2 180	87	10	4		22 9		8	•••	••
	Coors	=				Bollary	39 19	7			
TOTAL .	• •••	18	4	_	-	Anantapur	40 22	2 87	11		
						Madrea		1 28	3	• •	••
(Estd. mid-year pop. 174 thousands)						Chingleput	51 26		4	••	••
Total for w/e 16-6-51							9 8		8	••	• •
•	1.0	13 6	2	•••	_	North Arcot	14 6 1 1		9 33	• •	••
Total for w/e 9-6-51	. 18		2	••		Coimbatore	6 2	· · ·	10	••	••
7-yearly mean for the we	9k	_ 2	_	_			31 6		22		
	(Del)	벖				Tanjore		27	9		
	No inci	dence.				Tiruchirapalli . 3	37 21	34	10	••	
(Estd. mid-year pop.						· -	2 4 16		8	••	
1,453 thousands)		-				***	50 28		2	••	••
Total for w/e 1d-6-51 Total for w/e 9-6-51		- 1	-	-	••	NYI) -i-i-i-	22 16	10	2 2	••	
·			-	-	-	Malabas	•••	10	3	· ·	
7-yearly mean for the w	100K _	- 8		_	-	South Kanara			1	••	• ,
	Himacha	l Pradesh				West Godavari .		. 34	11	••	
	Return not					Total . 1,0	17 4	82 902	234		. •
	Madhya	Predesh				(Estd. mid-year pop.					
Macons		12	1			55,055 thousands)		0 1164	075		
Nagpur Wardba	• ••	14			_	•	939 46	-	277	• •	•
Chards		83	8	_		•	152 54	8 1037	282	• •	• •
Chhindwara			_	•1•	_	7-yearly mean for the	286 15	2 446	an .	6	2
Betul		66	9		•=	week	286 15	440	83	v	z
Bhandara		29	4	• •	••		Mar	ipur			
Jabalpw	•	6	• •								
Segar	- ••		••	'	••	TOTAL	••	. 4	••	٠	•
Mandla Hosbangabad	• ••	13	1		••	(Estd. mid-year pop. 567					
Nimer	. 5	9	***	-	_	thousands).					
Beleghet		b		_	<u> </u>	Total for w/s 16-6-51		. 1			
Raipur		7	1	••		Total for w/e 9-6-51.		6			~0
		Explan	etien, ed	-ymb	ola used	. O. nases; D. Double.	١,				

Reported attacks and deaths from cholers, smallpox, plague and typhus in districts in India during the week ending the 23rd June 1951—contd.

	Сиосина	SKALLFOR	Placon		CHOLINA	Smallfox	Pragur
_	C, D.	O. D.	О, D.		Q, D	. O. D.	O. D.
	Ori ss a			τ	Jttar Pradesh—	-contd.	
Outtack		55 20	**	Budaun			19
Balasore Puri	10 10 1 1	35 4 14 2	Gradia 1 ra	Moradabad		··· -	
Sambalpur		89 11		Bhanjahanpur	. 4-0		***
Khondmala		4 1	••	Farrukhabad	1		4-4
Ganjam Plains		43 15	** ***	Etawah		1	
Ganjam Agency . Koraput .		12 2		Kenpur	8 4	Pris (11)	
Keonjhar		15 2		Fatehpur	1 1	 1 ₀ 1	
Dhenkanal		41 19	** 696	Jhanai			
Bolangir Patna			••	Jalaun		-	
Sundergarh Katahandi	** **	14 38 4		Hamirpur		•	••
Angul		8 1		Banda	1 1	9 2	
Mayurbhanj	=	130 53		Mirzapur		**	
TOTAL .	11 11	498 134		Jeanpar		1 1	
(Estd. min-year pop. 18,418 thousands)				Ghazipur			
Total for w/e 16-6-51 .	, 7 4	733 130		Ballia		1	*= ***
Total for w/e 9-6-51	29 11	4 72 124	** ~-	Deorie		11 3	··· ·•
7-yearly mean for the	105 60	132 26	•r •	Basti			
	Punjab (I)			Azamgarh		1 1	••
	- 			Nainitel	***	 1 1	**
Hiesar		. 3 2		Garhwal		1 1 5 _	
Gurgaon			- ~	Lucknow	2 4		
Karnal		3 1		Unao	3 1		
Ambala		4 -		Ree Bareilly		2	
Simle		_ =		Sitapur			
Kangra Hoshiarpur				Kheri	8 1	3 2	
Jullundur	;	1 1		Faisabad		5 2	
Ludhiana	, <u>-</u> -	4 3		Gonda			••
Ferosepore	, 	7 _ 1		Bahraich		1	••
Ameitear		•		Partabgarh			
Total .		22 8		Barabanki j	11 8		
(Eatd. mid-year pop.	• • • • • • • • • • • • • • • • • • • •			Rampur		1	
15,440 thousands)				Total	29 20	56 17	,,,
Total for w/o 16 6 51		27 6		Estd. mid-year pop			
Total for w/e 9-6-51 7-yearly mean for the we	ook 19 11	16 3 10 8	••	62,184 thousands)	40 00	45 01	
1-Administrations of arms and	00K 10 11	-0	**	Totalfor w/s 16 6-51	48 23	67 31	.,.
	Tripura			Total for w/e 9.6.51	16 3	113 24	1
Total	1	2 .	- -	7-yearly mean for the week.	975 501	162 44	
(Estd. mid-year pop.			- "		West Bengul		
584 thousands)		a .		Burdwan	91 7	213 74	
Total for w/e 16-6-51	2 1		Bray Prod	Birbhum . • •	3 3	76 84	
Total for w/e 9-6-51	3 1	7 2		Bagkura		50 8	••
	Uttar Pradesh			Midnapur	1 1 7 3	50 15 28 8	- ·
				Hooghly	$\begin{matrix}7&&3\\41&25\end{matrix}$	#8 0 6 0 40	
Dehra Dun			- ~	24-Parganas	27 16	67 39	
Saharappur Muzaffarnagar				Calcutta	182 47	24 10	
Muzanarnagar	·			Nadia.	7 2	49 16	
Bulandshahr				Murshidabad		106 72 93 42	
Aligarh	, +	•••		Malda		73 34	
Mathura	·	1		Jalpaiguri		1 1	••
Agra			_ ~	Darjeeling			••
Etab	:			Cooh Behar		3 1	••
Bareilly	. 4 -			Chandernagore	3 3 292 106	890 384	•• •
Bijnot , .	,		- 7	TOTAL		∺स्र- चुलक	• • • •
		Explanation	n of Symbols	dade i-Brandian Drade	(1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		

Reported attacks and deaths from cholers, smallpox, plagu+ and typhus in districts in India during the week ending the 23rd June 1951—contd.

369 337 258 1,565 1,554 1,742 2,897	West 1 113 115 112 687 660 749 1,476	C. Bengal- 1,058 990 156 3,885 4,477 4,521 1,545	D — contd. 445 434 83 1,044 1,172 1,235		1) 	Shimoga . Tumkur . Total Total	•	•	c	1	o.	D. 1 9	C 26	g∪ma D. 1 5
369 337 258 1,565 1,554 1,742 2,897 STATES	West 1 113 115 112 687 660 749 1,476	Bengal- 1,058 990 156 3,885 4,477 4,521 1,545	-contd. 445 434 83 1,044 1,172 1,235		en en en	Tumkur . Total		•	Myson 40 200 PEPS1	8 82 U	30	1 9	•••	
337 258 1,565 1,554 1,742 2,897 STATES	113 115 112 687 660 749 1,476	1,058 990 156 3,885 4,477 4,521 1,545	445 434 83 1,044 1,172		946 916	Tumkur . Total	•	•	40 200 PEPS	 8 82 U	30	9	••	1
337 258 1,565 1,554 1,742 2,897 STATES	115 112 687 660 749 1,476	990 156 3,885 4,477 4,521 1,545	434 83 1,044 1,172 1,235		946 916	TOTAL	•	•	200 PEPS	8 3 U	30	9	••	1
337 258 1,565 1,554 1,742 2,897 STATES	115 112 687 660 749 1,476	990 156 3,885 4,477 4,521 1,545	434 83 1,044 1,172 1,235		e ue	TOTAL	•	•	200 PEPS	8 3 U	30	9		
1,554 1,742 2,897 STATES	687 660 749 1,476	3,885 4,477 4,521 1,545	1,044 1,172 1,235		g.e	Total	•	•	PEP8 1	U			-	
1,565 1,554 1,742 2,897 STATES	660 749 1,476	4,477 4,521 1,545	1,172 1,235				٠	•	1	1	83	14	-	
1,742 . 2,897 STATES	749 1,476 ₄ PART (4,521 1,545	1,235				•				83	14	-	•
1,742 . 2,897 STATES	749 1,476 ₄ PART (4,521 1,545	1,235		••	Bikaner .		F	ln/ast	han				
1,742 . 2,897 STATES	749 1,476 ₄ PART (4,521 1,545	1,235		••	Bitaner .								
. 2,897 STATES	1,476 ,PART (1,545	Ť	1		Buraner .								
STATES,	,PART (QHK		•	Jaipur .	_	•		•.•	53 5	12 6	in self	
		_	010	17	v	Jodhpur .		•	-		5	6	•••	
		(B)				_								
	lorabad	. •				Total			••	1.39	58	lu-	*-4	•
•			••	••	••			í	Se Drus	ihtra				
	•••		• •	••		Gohilwad.	_				_			
•			••	• •	••	-	•	•	••	••	**	••	••	• •
• (51 20	5	••			Halar	•	•	••	••		••	••	٠.
	***	. <u>š</u>		**	•••	Madhya Sauroshtra		•	••	••		••	810	
_				•		Sorath			••	_	1	*	-	_
•	_	. –				Zalawad					•••		**	
-					-	TOTAL					23	ı		
• •		•			_			Trava	FTCOL6	-Coch	in			
•	•					Tomar						**		
						TOTAL	•	•	•	•••	45	10		***
. 11	-	,	• • • •	••	••			Vind	lbya E	Prades	h			
,		. <u>-</u>	••	••	••	Shahdol			••	• •	56	Τί	_	••
•	5 2		••	••	**	Tikamgarh	•	•	•	-	474	- -		
		••	••	••		Chhatarpur .			_			240		
		. 11	10	••	• •	•								_
. 1	98 40	1	• •		••		-	•	-	•	•••			••
- 20	95 18 1	L 37	15	••	••	Datia , .	•	•	••		• •	***	••	••
Jammu &	Kashm	ir				Rewa	•	•	-		••	••	••	• •
		d.				TOTAL	•	-			53	10		
									496	214	305	78	26	5
My	rsot u						-	•	-			.5		J
			1	1	1			3,	,061	901	4,190	.,122	26	5
•			••											
	2 2	••	••		 			!	TY PH	US				
		***		• -		mu c ti					a.	Jan. 44		
u u	4 3	θ	1	2	ı	The following cases	of t	ypau	were			ang the		
•	47 18	**	•**							(F or ac		Dea	rtPe
•	45 25	9	6	요요	2	Bijapur (Bombay	7) -	`			3			
	Jammu & Return no Madhya No inco						Gohilwad. Helar Madhya Saurashtra Madhya Saurashtra Sorath Zalawad TOTAL 11 5 Zalawad 13 8 7 2 TOTAL 14 10 49 Shahdol Thkamgarh Chhatarpur Satna Chhatarpur Satna Madhya Harat No incidence Mysore 44 19 7 1 1 1 Total Madhya Harat No incidence Mysore 44 19 7 1 1 1 Grand Total for Ste Parts (B) Mysore 44 19 7 1 1 1 Total Grand Total for Ste Parts (B) The following cases The following cases	Gohilwad. Helar . Madhya Sauroshtra . Sorath . Sorath . Zalawad . 11 5	Gohilwad. Figure Figure	Gobilwad Helar H	Saurashtra Gohilwad Gohilwa	Solution Solution	Sanath S	Cobilwad Helar H

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd June 1951—concld.

	C	MOLUMA	BEAU	ьнож Р	LAGUE					Оно	LMBA	S _M A	LLPOX	PL	∆ ∪₩
	0.	. D .	J.	D. 0.	D.		-			o.	D.	o.	D.	c.	D.
	Pe	oliomyelitis							Vind	hya Рі	adesh				
(Information based	on patier	uts treated in	hos	pitals m in	nportant				(for	w/e 5 -	5- 5 1)				
towns).						Datia .				3		•			***
T)		n -i- 1							(for w	/e 12-	5-51)				
Place		Period		Ç	8468	Shandol .				11	2	8	8		
Madhya Pradosh		16-31 May	1951	1 1	Paretic	Datia .				3					
Delhi State .		16 30 June	,,	3	**	Tikamgarh				- •		1			
$\operatorname{Punjab}\left(\mathrm{I}\right)$.		1-15 J une	,,	10	**										
Ajmer State .		16-31 M ay	"	1	**		Total			14	Ž	8	8	• •	- •
,	ARREAR	INFORMAT	ION						(for	w/e 1	9-5-51)				
		chal Pradesh				Shahdol .				• •	••	2	• •		
		w/e 9 6-51)							(w/e	26 /	5-51)				
Mandi		2			-	Datia .				1	919	•••	••		1
Mahasu			1		_	Tıkamgarl			•	••		1	••		
Toral.		9	1		_		To	TAL	•	1	••	1	••	••	

Amplanation of symbols used:—C=Cases; D=Deaths.

New Delhi 2 (India);

I he 16th July, 1951.

S. P. JAIN,

for Registrar General, India.

NATIONAL SAVINGS

CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 10° 500, 1.000 and 5,000 and you can invest upto Rs 45,000 in them? inclusive of any Post Office cash rertificates held).

Full particulars obtainable from all post offices, District Organiser and Inalianal Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Similar

TODAU'S SAFEST AND MOST PROFITABLE INVESTMENT.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd June 1951.—

												D	eaths fi						
	Tow	'D				d1951 pn Es t. (6 0 0)	В.	B,R,•	· a.	. 8	3.	P.	19,	D.D.	R.D.	M.D.	Total	D.R.•	I.B
	Ajme	•						gr.	ATES	(Pa	rts A	and O	l)						
Ajmer						176	149	44.0					9	4	9		35	10.3	12
Beawar	<u>.</u>		•	•		45	42	48-6		•	••	***	6	1	1	***	14	16.2	5
	Tor	AL	•	•		221	19]	44.9	***	•	•	•••	15	5	10		49	11.5	17
	Am	A 200						Ratu	'No 10	el reco	ived.	•							
	Bho																		
	$\mathbf{B}_{\mathbf{h}\mathbf{o}}$	_				103	24	12.1		••	•••		• •	1	3	t	8	4.0	t
		Biha	r																
Arrah						87	2	1.8			3	•••	5		1		13	11.8	
Bettiah Bhagalpur	•	_	-	:	•	33 103	7 17	8·6		•••	•••	•••	2 2		•••	•••	5 9	7·9 4·5	
Bihar	•	•	:			62	13	10.8				•••	2		•••		3	2.5	•••
Chepra			-	•	:	68	11	9.1		•••	•••	•••	2	•••	•••	•••	5	4.1	***
Darbhangs	•	•	•	٠	•	78	18	12·0 9·9			•••	•••	6	1		•••	13	8.7	•••
Dinapur-Ni Gaya	amat	•	•		•	37 1 23	7 30	12·7			8	•••	1 32	2	29	•••	3 92	4·3 38·9	•••
Jamalpur	•		_			49	7	7.5		•••		•••	1			•••	5	5 · 3	***
Jamshedpu	•	•	•		•	216	82	19.8		•••		•••	1	2	4	•••	15	3.6	5
Monghyr Musaffarpui		•	•	:	:	74 68	13 19	9·2 15·1		•••	14	•••	3	 1		***	4 34	$\frac{2.8}{27.0}$	
Patna					·	192	16	4.3			•••		3		•••		6	1.6	
Renchi	•	•	٠	•		58	38	29.7	••		•••		5	•••	•••		15	13.5	
Purnia	• ,	• 	•	•	-	38	3 278	4.5	••		•••	••	1		•••	***	2	3.0	•••
		OTAL		•	•	1,246	218	11.6	***	•	30		73	7	34	•••	224	9.3	5
	Bomb	A y																	
Ahmedabad		•	•	•		882	502	29.6	••	1		• •	89 2	5	48	1	284		100
Ahmednagar Amalner		•	:	:	•	67 46	81 30	39·6 33·4	• •	••		**	ĝ	2	4. 4.		20 15	15·5 17·0	
Bandra†																		_	
Baroda . Barsi		•	•	•	:	192 42	124 21	33 · 6 26 · 0	•	••		•	24 7	1 ••	10 1	7	49 17	13.3 21.0	10 5
Belgaum	•	. '	_	•	•	79	21	18.8	••	••			3	1			16	10.5	ı
Bhusawal		•			•	45	20	23.1	2.4	••	_		6	••	•••	N-1	8	9.2	2
Bijapur		•	•	•	•	58	33	28.0	-		**	•	2	1	3	1	12	10.8	3
Bombay Brosob	•	,	_	•	•	2,854 78	1,208 42	26 · 7 28 · 0	***		•		9 6	16	$\substack{ 137 \\ 2}$	2	606 13	13·4 8·7	187 1
Cambay	•	•		•	•	88	26	85 . 6	-	••			11		••	••	14	$14 \cdot 2$	4
Dharwar	•	•	•	•	•	55	84	82 · 1	• •	1	• •		2	1 1	3	٠;	15	14.2	110
Dhulla Godag-Betge	eit .		•	:	:	67	28	3 1.7	-	••	•	•	13	1	6	1	25	19 - 4	8
Godhra	٠.					49	56	59-4		••			1		2		8	8.5	2
Hubli .	•	-		•	•	108 63	57 28	27·4 23.1	••	••			4 2	6	6 2		32 9	15 · 4 7 · 4	3 2
Jalgaon Kalyan			•		•	87	20	28.1		••	•		1	=1.0	1	••	7	9.8	
Kolhapur Kuria		•	•	•	•	117	87	38.7	-		••		2	3	î	_	33	14.7	4
•																			
Malegaon† Miraj						39	15	20.0					4	4	3	_	19	25 . 3	8
Nadiad .				•	•	59	42	37.0		••		•	20	••	3	***	29	25 ·3	
Nasik						59	49	44 - 3	•	8	***		3	2	4	1	33	2 9·1	4
Naveari Pandharpur			•	•	•	47 87	22 29	24·3 40·8		**	•=		6 4	2	ż	***	7 11	7·7 15·8	i
_		•	•	•	•	4.	49	-v v	-		•••	•	_	-	_	••		10 0	
Parlo Andhe Paten	erT .					43	38	46.0			•**		11	2			20	$24 \cdot 2$	9
Poons	. :	, '		•	:	319	206	33 . 6	• •	• • •	_		5	*	32	6	121	19.7	36
Bangli						40	22	28 · 6	••		••		2		3	••	10	13.0	1
Batara	,	•	•	•	•	41 274	$\begin{array}{c} 14 \\ 218 \end{array}$	17.8		••	• •		$\frac{4}{10}$	1 2	30	1 1	12 66	15·2	6
Sholapur	` '	•	•	•	•	274 246	218 15 7	41·4 32•2	-	••	••		20	2 1	30 19	1	75	12-5 15-9	19 25
Surat	•	•	•	•	•	740	107	۵-4	-	•••	-	•	40	1	10	1	70	א. טנ	4 0
		TOTA	L			5, 581	3.200	32. [10	•••		2 82	53	3 26	16	11,586	16 · 3	458

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be spfficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used :—B.—Births; B. R. —Birth rate; C.—Cholera; S.—Smallpox; P.—Flague; F. — Fevers; D. D.—Dysectory and Diarrhoes; B. D. —Respiratory Diagrams; M. D. —Majornal Deaths; O. R. —Death rate; I. D. —Infintile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd June, 1951—contd.

Deaths from :-Town Mid-1951 Popp.-Est. (000) ā. В. B.R. O. P. D. D. R. D. M. D. Total D.R. I.D. Delhi State Delhi City 702 528 12.4 R9 - 1 87 10 27 1 167 New Delhi 124 65.0 23.8 10 2 7 56 155 1 TOTAL 826 683 43.0 89 11 84 228 14.0 61 Madhya Pradesh Akola 78 26 17:3 9 21 6 1 14.0 Amravati † Bilaspur 20 44 31 36.8 1 23.8 9 ٠. Burhanpur 84 52 42-1 12 1 28 22.7 2 Chanda 38.5 28 . . 11 18 · I Damoh . 88 25 39.3 10 15 28 6 *** ---Ellichpur 21 31 . 7 2 84 1 10 15.1 6 Hingenghee 26 40 - 2 10.8 . . - -4 11 Jabahpur 177 91 26.7 8 46 13.5 11 Khandwa 42 18.4 18 9 -8 8 30 806 3 3 5 Nagpur 58 Negpur Civil Station 85 **K4** 82.0 R 1 12 4 15 9.1 K Raipur 82 20 12.7 1 9 Sagar Wardha 5 12·3 4·2 ЯR 25 20.7 10 1 28 38.9 Yeotmal 525 12 . 1123 19 TOTAL 24.3 115 17 9 260 12·0 46 Madras Adonit 8 4 35 46.7 24.0 Ambut 1 18 ï Anskapalle 35 27 40.1 1 8 19 28.3 86 62 - 1 Aruppukotai . 48 3 3 1 1 14 20 - 2 2 Bellary 2 8 Bhimavaram 38 15 28 . 6 3 9.5 2 35 82.7 3 Cannencre ٠., 18.4 1 17 86 Chirala 24 - 6 1 24·5 81·5 Chittoo 34 33 50.5 14 18 ... e ï 167 179 55.7 19 Coimbatore 101 62 61 51.9 Cuddalore 1 3 1 1 18 12.6 3 Quddappah 15 92 · 9 13 8.1 ï Ā Dindigul RΩ 48 22.0 5 18.8 2 ---Elurat 45 41 3 7 26 Guddiyattam 33 . 0 2 1 16 20.3 ... Guntur 108 95 47 • 9 5 1 40 20.9 8 Kakinada 85 56 84.3 1 10 22 6 ... 4 84 62 Kancheepuram 38.4 17 38 .4 ... 3 54 10 Kozhikodo 154 122 41 - 1 A 8 12 87 29.3 12 ... 36 28 · 1 Karaikudi 16 1 1 30 27 89.0 2 Kerur ı 13 18 . 8 2 72 21.8 24 Kumbakonam 44 1 17:4 8 44 Kurnool ... 12 11. - 21 1,027 1,289 $65 \cdot 2$ 3 71 102 218 Madras 808 40.9 198 ... 96 135 78 · 1 6 2 Mangalore Manulipatnam 10 48 26.0 6 61 25.6 21 17.9 ï 298 323 16 KΩ Mathurai 48.7 167 10.1 32 88 25 89 Mayuram 9.8 ··· McIapalayam Nagapattinam 32 12 21 - 1 ٠., 8 57 16 - 4 18 ... 1 23 20 . 9 Nellore 67 80 62:1 7 2 8 49 38:0 12 ••• Cotsoamund 18 35 39 88.0 1 8 34 29 ī Palyaamkottai ---... ٠., ... ---12 18.4 61 Palghat Proddatur 26 30.7 2 5 2 1 2 37 - 1 10 ---84 18 11 16-8 Pudukottai† 73 Raishmundry 44 - 1 2 1 24 - 8 11

"ĝ

...

•••

6

18

3

27.9

15

20

158

99

22.6

Rajapalayam

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used:—B.—Birth ; B.R.—Birth tate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentory and Discribus; R.D.—Respiratory Discases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Coaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd June, 1951—contd.

										Dea	ths from	1				
				4.284			-					— <u>——</u> —————————————————————————————————				
	Town			Mid1951 Popn-Est. (000)	В.	B.R.*	o.	6,	P.	F.	D.C.	R.D.	M.D.	Total	R.D.	I.D.
	Madı	as —con	d.													
Srivilliputtur Tanjore Tellicherry	•	•		37 71 42	32 64 40	45 · 0 46 · 9 53 · 5	***	···	•••	ï 	3 4 	2 6 3	" <u>2</u>	16 64 15	22 · 5 46 · 9 18 · 6	$\frac{3}{9}$
Tenali Tirqchirappa Tirqnelveli	IH .	•		47 177 64	31 126 33	34·3 37·0 26·8	1 1 	 2	•••	4 1	4 5	17 6	"i ··	$^{\substack{16 \\ 120 \\ 24}}$	17·7 35·3 17·5	3 7 3
Tiruppur Tiruvannama Tuticorin	lai .	:		49 40 91	22 22 69	23 · 4 28 · 6 39 · 4	1 		••	4 Լ 2	3 2 6	1 1 7	 1 1	22 12 42	23 · 4 15 · 6 24 · 0	2 4 9
Vaniyambadi Vellore Vijayavada		•	•	40 86 113	19 105 69	24·7 63·5 31·8	ī	 	•••	 8	5 1	$\begin{smallmatrix}2\\10\\3\end{smallmatrix}$	2	10 4 5 29	13·0 27·3 13·4	2 8 6
Virndunagar Visakhapatna	m .		•	36 84 59	37 54 41	53 · 4 33 · 4 36 · 1		 2	•••	1 7 4	2 4 5	3 8 4	 'i	22 41 35	31·8 25·4 30 9	5 ,0 9
Vizienagram	Тота	_	•		4,033	47.0	16	21		196	246	489	26	2,411	28.1	489
	Or iese															
Berhampur Cuttack Puri	•	•	:	50 84 45	36 49 8	37·5 30·4 9·3	•••	1 	***	$\begin{smallmatrix}3\\10\\7\end{smallmatrix}$	2 2 1	1 3 2	1 	17 29 23	17 · 7 17 · 9 23 · 6	6 5
		TOTAL	-	179	93	27.0	•••	3	•••	20	5	6	1	69	20.0	11
	Punja	ь (Т)														
Ambala			•	5 3 3 2 0	32 154	31·4 25.1	***	•••	•••	12 4	 8	2 33	 1	17 114	16 · 7 18 · 6	9 33
Amritear Batala	. :	:		51	22	22.5		•••		3	2	3	•••	7	7.2	
Bh iwani Fazilk a †		•	•	62	48	43.0	•••		•••	7	2 4	1 3	-+4	14 15	l4 · 0 16 · 3	••
Ferozepore	•	•	•	48 35	18 23	19·5 34·3		•••	••	4 6		3 1	••	10	14.9	••
Hissar Hoshiarpur Jullundur	: :	:	:	4 5 171	18 92	20·8 28·1	-	i	::	4 22	i	6	• •	5 41	5·7 12·5	8
Karnal		•		60 151	30 73	26 · 1 25 · 1				8 13	••	1 1		11 33	9·6 11·5	1 14
Ludhiana Moga	: :	:	:	37	12	16.9			••	4	1	3	••	8	11.3	3
Panipat Rewari Rohtak	· ·	:	•	56 39 72	28 21 30	26·1 28·0 21·7	••	••	••	9 6	• •	1	***	13 12 12	12-1 16-0 8-7	6 5 8
Simla Sonepat†		•	•	46	39	44.2	••	***	••	1	1	_	1	5	5.8	•• •
		TOTAL	•	1,236	635	26.7		1		112	19	55	2	317	13.3	87
Utt	as Prad	eab														
Agra Aliahabad Amroha		:	:	360 332 67	340 257 64	49·2 40·3 49·6	···	ï 	0 0 0 0 1400	2 8 6	11 1 3	85 53 10	••	147 110 27	21·3 17·3 20·9	47 24 12
Bahraich	: :	•	:	47 52 813	24 14 230	26·7 14·0 38·3	·· ··	 'i		6 10 81	1 13	3 20	••	14 14 207	15 · 6 14 · 0 34 · 5	4 50
Bareilly Budaun Dehra Dun	: :	•	:	240 59 10 <i>5</i>	123 24 34	26·7 21·2 16·8	::	1.0 1.0		27 15 6	 8	6 1 4	••	58 21 22	12.6 18.6 10.9	19 8 5
Etawah Faizabad-Aj Farrukhaba	jod hys d-Fateh	garb.	:	59 58 65	44 29 5 5	38·6 25·9 44·4	• •	1 ::	•••	14, 1 9	 5	5 2 10	2 1 	31 12 34	27 - 2 10 - 7 27 - 4	13 2 11
Ferozabad Ghazipur Gorakhpur				57 35 123	25 18 58	22-9 26-6 24-5		·· 3	::	13 6 16	2 1	3 1 1	••	20 14 30	18*3 20*7 12*7	7 3 6

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used :—B,=Births; B,B,=Birth rate; C.=Cholors; S,=Smallpox; P,=Plague; F.=Fevers; D.D.=Dysenter; and Distribute; R.D.=Respiratory diseases; M.D.=Maternal deaths; D.B,=Death rate; L.D.=Infantile deaths (included in total deaths)

ir he and deaths from principal diseases in towns with a population of other 30,000 in India for the week ending the 23 rd June, 1951—contd.

								_	0 		Deat	he from :		<u></u>			
	Town			Por	l-1951 onEst. 000)	. в	B.R.•	o.	S.	₽.	v .	D.D.	8.0.	M.O	Total	0.8.*	1. D
	Uttar 1	Prade	esh—	conto	. .												
Hapur Hardwar Uni Hathras			•	•	48 72 57	31 36 53	34·0 26·1 48·3	* *	••	••	5 8 23	4. 4 6	7 9 9	••	21 28 33	23-0 20-3 30-1	8 10 10
aunpur hansi Lanpur	· , :		•	:	52 91 701	30 75 3 33	29·9 42·7 24·8	••	1 	• •	5 33 98	1 1 24	1 1 30	·· ·· 3	13 39 266	12·9 22·2 19·8	 17 , 91
Churja Coil-Aligarh Jucknow	· ·		•	•	42 146 498	24 63 275	29 9 22 5 28 8	::	••	• •	15 66	 4 20	1 6 26	 2 1	7 38 183	8·7 13·6 19·2	3 9 47
Matbura Meerut Mirzapur-Vir	idh yso l	ha l	•	:	102 163 82	53 129 49	27·1 41·3 31·3	••	 5	••	24 4 18	1 1 ••	9 16 2	••	48 29 33	24·5 9·3 21·1	6 6 7
doradabad Kuzafiarnage Pilibhit	i.		•	:	189 66 54	141 46 35	38·9 36·1 33·9	••	• •	••	20 7 7	5 1 2	6 2 1	2 	56 15 11	15·4 11·8 16·5	18 4 6
tampur saharanpur ambhai	•		•	•	105 171 64	23 108 67	11·4 33·0 54·5	••	···	••	9 46 14	1 3	3 2	ï	18 56 25	8·9 17·1 20·3	18 6
iban jehanpu itapur			•		135 38	66 20	25·5 27·6	**	• •	••	14 5	6		••	26 9	10.0 12.4	13 4
	To:	Pal.			4, 848	2,996	32.1	• •	13	••	643	128	322	14	1 ,7 2 l	18.5	500
	West B	engal	l														
sansol † lali: ankura	•			•	71 62	6 13	4·4 10·9	1		••		• •	1		4 4	2·9 3·4	aa
aranagar erhampur hatpara		•		•	72 56 150	34 33 35	24 5 30·6 12·2	••	3	• • • •	4 4 13	3 4	6 	::	24 14 40	17·3 13·9	5 6 8
udge Bu dge urdwan alcutta		•	•	•	41 87 565	3 !2 1,101	3·8 7·2 22·3	47		• •	1 77	 1 74	1 1 154	3	4 6 713	5·1 3· 6 14·5	1 181
hampdani arden Reach loogly China	ıra.				39 115 66	4 7 28	5·4 3 2 22 I	••	i	• •		1	3 5	,	 8 16	3·6 12·6	 1 2
lowrah .=marhati † .rishnagar .		,	,		539 40	85 2	8·2 2·6	16	4 1	erce are	16	30	31	3	167 3	16 · 2 3 · 9	34 . 2
lidnapur . [abadwip [aihati .	•		•		55 43 54	23 26 7	21 · 9 31 · 8 6 8	•••	1	• "	3 .		1 4	••	9 7 6	8 · 6 8 · 5 5 · 8	1 .: 2
erampur outh Suburba itagarh	413.		•		72 88 66	31 14 26	22·4 8·3 20·7	:: 2 1	4 4	••	2 5 2 i	5 5 	3 5 1	• •	18 26 27	13·0 15·4 21·5	4 6 3
ollygunj	,				94	4.	2.2	••	••	•	• •		• •	••	••	••	arino
	7	OTA	L.	4	43 75	1,494	17.8	67	30	a r•	152	126	216	9	1,096	13.0	255
								STAT	ES(Par	t B)							
	nzuu ai dh ya B			ir	}			Retur	ns not re	ceived.							
	Mysor	Stat	te														
Bangalore Cit Kolar Gold F Mysore City		•			510 184 195	299 28 168	35·1 13·8 51·6	013 0 2 0 2	 8	• •	9 9	35 	87	• •	141 15 61	26 5 11 · 8 26 · 4	etos eto Aus
	TOTAL	i.			889	495	29 · 0		9	• •	27	43	37	••	217	12.7	625

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used;—B.=Births; E. R. =Birth rate; C.=Cholera; S.=Smallpon; P.=Plague; F.=Fevers; D D = Byconsary and Diarrhosa; B. D. =Respiratory Diseases; M. D.=Maternel Deaths; D. R.=Death rate; I. D.=Infantile Deaths (included n total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 23rd June, 1951—contd.

Deaths from :-

								_										
	Tot	Fi a				fid-1951 opnEst. (000)	в.	B.R.	O.	8.	P.	¥	D,D.	R.D.	M.D	. Tota	1 D.R.	• I.D.
	P	EPSU				• ',												
Malerkotla	_					. 86	18	28.0				5	•.			. 8	4.3	
Patiela	•			•		. 85	45	27 · 6	***		***	19	1	1	1		18-4	11
		Tora	us.	•	•	121	63	27·1		••	••	14	1	1	1	83	14 2	11
	1	tajasti	han															
Alwar† Bikaner Jaipur			•			170 204	64 79	19·1 20·1	• •			žċ	3 1	4 8	1	17 85	5·1 21·6	 27
Jodhpur	•		•			160	58	18 8				4.		4		19	Q. J	
Udaipur	•	• •		•	•	74 608	4 205	2 8 17·6	2	••	••	4 88		 11	1	8	5.6	••
		Total		•	•	000	200	17.0	a		•	40	9	11	1	129	11.0	£ 7
	8	10121	htra									_						
Bhavnagar Dhoraji	•	•	•		:	181 46	44 20	17·5 22 6			· ·	11 5	2	2 3	••	17 10	6·7 11-3	Ė
Jampagar		•	•			89	89	22 8	••		- •	19	- •	ī	••	21	12.3	7
Jetpur						81	17	26 0				1				5	7 6	• •
Junagadh Morvi	•	٠	•	•		77 6 6	32 11	2) 6 10-2	• • •	• • •		გ 3	• • •	1 1	• •	7 4	4·7 3·7	1 1
Porbandar Rajkot†	:	•	•	٠		64	50	40.6		1		6	l	••	6	20	16 · 3	13
		Ta	TAL			497	213	22*3		1		43	4	7	6	84	8 · 8	24
Ţn	LVE II(ore-C	ochin					Return no	s receive	đ.								
								ARREA	R RET	URNS				•				
ı	rava	DCOLO-	Cochi	n				For whath	s 3rd Ju	ine, 195	27							
Aller lev						69	60	45 2				ì		1		5	3·8	•
Erna olam	:	:	:	•	•	57	88	80 2		•	.,	2			•	7	6.4	
Kott jam			•			42	19	23.5	••			1				8	9 9	2
Mart_ncheri	:I	•	•	•		68	56	42 8				2	1		• •	10	7 · 6	2
Nagercoil		٠	•	•		61	41	35.0	٠	1		6	1	1	• «	15	12.8	1
Quilon	•	•	•	*	•	66 70	95 41	74 8 30 5	• •	• •		• •	2 1	5 1	• •	19	15.0	2
Triobur Trivandrum	City		•	•	•	162	81	26 0	• •	1	• •	9	11	10	2	13 75	9·6 24·0	 5
Livenurum	Civy	Гоз	FAE.	·	·	595	481	42.0	.,	2		21	16	18	2	152	13.3	13
	•		re-Coc	hin					je the 9ti									
	a	ЧДШ ОО.	10-000	,444					10 0110 011	• 0 ~/•0	1001							
Alloppy	•	4	•	•	•	69 57	70 25	52 8 22·8		٠.	••	2	• •	 1	I	10	7.5	2
Ernakulam Kottayam	•	•	•	•	•	42	23 21	26 0		•••	• •	 2		1	••	15 8	13 7 9 9	2 2
Muttancher		·		Ċ	•	68	24	26 0			• • •		1	••	•••	11	8.4	i
Nagerooil						61	38	32 4		3		5	2	6	1	80	25.6	4
Quilon		-		•		68	86	66.8					1	I		5	3 9	2
Trichur		٠	٠	•	٠	70	52	38.6	•)		l	1	2	• •	13	96	1
Trive adrun	n Cit	y	•	•	•	162	87	2 7.9	••	••	•	2	1	3	- 4	13	4 2	3
				OTAL	٠	595	413	36 ·1		4		12	6	14	2	105	9 · 2	17
	•	Clavai	10010	Cochir	1			For wie to	he 16th J	une, 1	951							
Alleppey						69	59	41-5		• •		4		}		7	5.3	i
Ernukulam	٠.					57	26	23 · 7	ī			5	8	2	- 14	20	18-2	ì
Kottayam	٠	•	-	•	٠	42	18	16-1	• •		••	••	1	1	1	7	8 · 7	• •
Mattancher		•	•	•	٠	68 61	48	36·7	••	• •	- •	l *	1	• •	***	6	4.6	• •
Nagercoil	•	•	•	•	•	6 6	99 29	£0·8 54 4	٠.		• •	5 1	4	2	• •	15	12.8	8
Quilon Trichur	•		:		•	70	83	61.7	••	1	••	.,	1	5	• •	22 16	17·3 11·9	5
Trivendru	-	у.	•	•	•	162	238	78-4	·•.	•	••	8	4	12	• •	41	15.3	1 2
	- •	-	Ton	FAL		595	595	62 Q		ı		24	14	25	1	184	11.7	13
					•			*		-	• •				-	-01	a.i	19

[•]In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may note be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Fxplanation of symbols used i—B.=Births; B.R.=Birth rate; C.=Cholers; S.=Smallpox; P=Plagne; P=Fevers; D.D.=Dventarv and Diarrhosa; R.D.=Respiratory Diseases; M.D.=Maternal deaths; D.R.=Death rate; I.D.=Infeatile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 23rd June, 1951, relate to 293 towns with an estimated population of 26,314 thousands. The total number of towns is 236 and their population is 28,965 thousands. Thus 86% of the total number of towns representing 91% of the total population is covered in this statement. The numbers of births and deaths recorded in those towns were 15,128 and 8,425 representing birth and death rates of 29.9 and 16.6 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 187 towns with an estimated population of 24,199 thousands. Information about Assam, could not be included.

The total number of towns is 204 and their population is 25,135 thousands. Thus 92% of the total number of towns representing 96% of the total population is covered.

The numbers of births and deaths recorded in these towns were 14,152 and 7,962 representing birth and death

rates of 30.4 and 17.1 per thousand of population respectively. The table at the end gives the position by states.

No town recorded a high death rate of 50 or over per thousand of population,

(B) States (Part B).—The data here relate to 16 towns with an estimated population of 2,115 thousands. The total number of towns is 32 and their population is 3,830 thousands. Thus 50% of the total number of towns representing 55% of the total population is covered. The numbers of births and deaths recorded in these towns were 976 and 463 representing birth and death rates of 24.0 and 11.4 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States			1	Outront w/o	23-6-5 1	Jorresponding	w/e inst year	Corresponding the previous 5	mesa during years period
				B. R.	D, R.	B. R.	D. R.	В. R.	D.R.
Ajmer			·	44.9	11.2	32 2	11.0	31.3	17.1
Bihar .				11.6	93	12 · 2	10 · 2	12·9	10.2
Bombay.				32·9	16.3	30 · 3	16.4	29. 6	18
Delhi .			ø	43.0	14 · 0	37 · 9	20.5	83 - 3	20 €
Madhya Prad	es <u>h</u>			24.3	12.0	30.3	18· 7	27-5	18.1
Madras	-			47.0	23.1	47.7	37· 7	48.2	27·I
Orison .				27.0	20.0	45.2	23 3	88 0	24 8
Tunjab (I)				£6 7	13 · 3	30·0	18.2	24.9	17.1
Uttar Prades	b,	,		3 2 1	18.5	25 0	24 · 3	28 6	27.6
West Bengal				17.8	13.0	10.7	14 · 9	10.3	
India (only 8	State	2 Parts	A 3, 11)	30-4	17 - 1	28.0	19.9	26 7	12 6 19-6

NEW DRIES (INDIA);)
The 16th July, 1951.

S. P. JAIN, for Registrar General, India.